

Zhongshan Tiantai Electric Appliance Co., Ltd.

1 st New Industrial District Tongan Ave, Dongfeng Town, Zhongshan City,
Guangdong, P. R. China



Main Products

Electric Rice Cookers
Pressure Rice Cookers
Air Fryers
Air Purifiers
Ceiling Fans

Contact Information

Contact Person: Lisa. Su
Position: Sales Manager
Email Address: tiantai2017@126.com
Phone/Wechat/Whatsapp:
+8618664257588
Website: <https://zstiantai.en.alibaba.com>

Company Profile

Zhongshan Tiantai Electric Appliance Co.,Ltd is established in 2011. Foshan branch is established in 2021. Both company are located in the golden area of the Pearl River Delta in Guangdong province which have the unique export advantage of shipping.

Our company is dedicated to the production of household appliances for 10 years. Products have been exported to more than 10 countries, especially with the strength of Southeast Asia, the Middle East, South America, Africa.

Our factory has ISO9001:2015 certification, products have CB, LVD, EMC, RoHS certification, is a reliable, worthy of your trust supplier.

Factory area covers 5000 square meters, with modern workshop which has large injection molding machines, punching machines, precision processing equipment more than 20 sets and vertical lathe, CNC lathe, injection molding and other special equipment.

We have built up the professional teams of production, export and service. We can support SKD, and OEM production. Welcome your inquiry and look forward to cooperating with you.



TT-987



Digital Rice Cooker

Capacity	3L / 5L
Power	500W / 900W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal / Low Sugar
Body Material	PP
Steamer Material	PP (Normal Type) / SUS304 (Low Sugar)
Controlled Method	Hidden Touch Screen
Cooking Function	10 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Ball Pot/ Aluminum Pot/ SUS304 Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	6pcs/Carton(3L); 4pcs/Carton(5L)
Product Size	230*265*205mm(3L); 255*310*230mm(5L)
Carton Size	835*340*510mm(3L); 620*380*555mm(5L)
Loading Quantity	1134pcs/20GP; 2184pcs/40GP; 2550pcs/40HQ
Certification	CB, LVD, EMC, RoHS

TT-983



Digital Rice Cooker

Capacity	3L
Power	500W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal / Low Sugar
Body Material	PP
Steamer Material	PP (Normal Type) / SUS304 (Low Sugar)
Controlled Method	Touch Screen
Cooking Function	6 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Ball Pot/ Aluminum Pot/ SUS304 Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	6pcs/Carton
Product Size	250*300*220mm
Carton Size	835*340*510mm
Loading Quantity	1134pcs/20GP; 2184pcs/40GP; 2550pcs/40HQ
Certification	CB, LVD, EMC

TT-985



Digital Rice Cooker

Capacity	3L / 5L
Power	500W / 900W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal / Low Sugar
Body Material	PP (Matt Surface)
Steamer Material	PP (Normal Type) / SUS304 (Low Sugar)
Controlled Method	Touch Screen / Electric Button
Cooking Function	10 Menus / 6 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Ball Pot/ Aluminum Pot/ SUS304 Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	6pcs/Carton(3L); 4pcs/Carton(5L)
Product Size	280*215*205mm(3L); 330*255*230mm(5L)
Carton Size	835*340*510mm(3L); 620*380*555mm(5L)
Loading Quantity	1134pcs/20GP; 2184pcs/40GP; 2550pcs/40HQ
Certification	CB, LVD, EMC

XP-B3



Digital Rice Cooker

Capacity	3L
Power	550W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal / Low Sugar
Body Material	Stainless Steel
Steamer Material	PP (Normal Type) / SUS304 (Low Sugar)
Controlled Method	Touch Screen / Electric Button
Cooking Function	10 Menus / 8 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot/ SUS304 Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	1pcs/Carton
Product Size	320*240*203mm
Carton Size	347*287*240mm
Loading Quantity	1152pcs/20GP; 2640pcs/40HQ
Certification	CB

XP-B5



Digital Rice Cooker

Capacity	5L
Power	900W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal / Low Sugar
Body Material	Stainless Steel
Steamer Material	PP (Normal Type) / SUS304 (Low Sugar)
Controlled Method	Touch Screen / Electric Button
Cooking Function	10 Menus / 8 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot/ SUS304 Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	1pcs/Carton
Product Size	330*270*230mm
Carton Size	400*330*290mm
Loading Quantity	784pcs/20GP; 1827pcs/40HQ
Certification	CB

TT-989A



Multi-fucntional Rice Cooker

Capacity	5L
Power	900W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal / Low Sugar
Body Material	Stainless Steel
Steamer Material	PP
Controlled Method	Electric Button
Cooking Function	8 / 10 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual/ (Low Sugar Tray)
Package Method	4pcs/Carton
Product Size	380*280*260mm
Carton Size	635*423*620mm
Loading Quantity	648pcs/20GP; 1452pcs/40GP; 1648pcs/40HQ
Certification	CB, LVD, EMC

TT-986



Multi-functional Rice Cooker

Capacity	5L
Power	900W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal / Low Sugar
Body Material	PP
Steamer Material	PP (Normal Type) / SUS304 (Low Sugar)
Controlled Method	Touch Screen
Cooking Function	10 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	4pcs/Carton
Product Size	350*280*250mm
Carton Size	665*415*585mm
Loading Quantity	648pcs/20GP; 1452pcs/40GP; 1648pcs/40HQ
Certification	CB, LVD, EMC

TT-988C



Multi-functional Rice Cooker

Capacity	5L
Power	900W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal / Low Sugar
Body Material	Stainless Steel
Steamer Material	PP (Normal Type) / SUS304 (Low Sugar)
Controlled Method	Electric Button
Cooking Function	6 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	4pcs/Carton
Product Size	360*280*270mm
Carton Size	625*425*625mm
Loading Quantity	660pcs/20GP; 1360pcs/40GP; 1600pcs/40HQ
Certification	CCC

TT-988



Multi-functional Rice Cooker

Capacity	5L
Power	900W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal
Body Material	Stainless Steel
Steamer Material	PP
Controlled Method	Electric Button
Cooking Function	8 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	4pcs/Carton
Product Size	380*280*260mm
Carton Size	635*423*620mm
Loading Quantity	648pcs/20GP; 1452pcs/40GP; 1648pcs/40HQ
Certification	CB, LVD, EMC

TT-988A



Multi-functional Rice Cooker

Capacity	5L
Power	900W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Optional Type	Normal
Body Material	Stainless Steel
Steamer Material	PP
Controlled Method	Electric Button
Cooking Function	8 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot
Accessories	Steamer/ Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	4pcs/Carton
Product Size	380*280*260mm
Carton Size	635*423*620mm
Loading Quantity	648pcs/20GP; 1452pcs/40GP; 1648pcs/40HQ
Certification	CB, LVD, EMC

TT-982



Rice cooker for car
12V car plug



2L / Car Rice Cooker

Capacity	2L
Power	400W (2L rice cooker)/ 130W (car rice cooker)
Voltage	220~240V (2L rice cooker)/ 12V (car rice cooker)
Frequency	50/60Hz
Optional Type	Normal / Car use
Body Material	PP
Steamer Material	/
Controlled Method	Electric Button
Cooking Function	8 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot
Accessories	Rice Spoon/ Measuring Cup/Instruction Manual
Package Method	8 pcs/Carton
Product Size	230*230*230mm
Carton Size	545*540*585mm
Loading Quantity	1280pcs/20GP; 2900pcs/40GP; 3120pcs/40HQ
Certification	CB, LVD, EMC

Electric Pressure Cooker

Capacity	5L / 6L
Power	900W / 1000W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Working Pressure	0-70kPa
Safety System	12 protective devices
Color	Silver/ Bronze/ White with strips/ Red
Body Material	Stainless Steel
Controlled Method	Electric Button
Cooking Function	10 Menus
Preset Time/ Keep Warm	24H
Features	Lid side stand design/ Water container
Inner Pot	Aluminum Pot
Accessories	Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	4 pcs/Carton
Product Size	290*290*330mm (5L); 290*290*350mm (6L);
Carton Size	640*330*703mm (5L); 640*330*753mm (6L);
Loading Quantity	744pcs/20GP; 1544pcs/40GP; 1812pcs/40HQ
Certification	CB / SAA

XP-A5



Electric Pressure Cooker

Capacity	4L/ 5L / 6L/ 8L
Power	800W/ 900W / 1000W/ 1300W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Working Pressure	0-70kPa
Safety System	12 protective devices
Color	Silver/ Red/ Bronze
Body Material	Stainless Steel
Controlled Method	Electric Button
Cooking Function	10 Menus
Preset Time/ Keep Warm	24H
Features	Lid side stand design/ Water container
Inner Pot	Aluminum Pot
Accessories	Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	4 pcs/Carton
Product Size	290*290*330mm (5L); 290*290*350mm (6L);
Carton Size	640*330*703mm (5L); 640*330*753mm (6L);
Loading Quantity	744pcs/20GP; 1544pcs/40GP; 1812pcs/40HQ
Certification	CB / SAA

XP-A6



Electric Pressure Cooker

Capacity	3L/ 4L / 5L/ 6L
Power	700W/ 800W / 1000W/ 1000W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Working Pressure	0-70kPa
Safety System	12 protective devices
Color	Silver/ Purple / Bronze
Body Material	Stainless Steel
Controlled Method	Electric Button
Cooking Function	6 Menus
Preset Time/ Keep Warm	24H
Features	Lid side stand design/ Water container
Inner Pot	Aluminum Pot
Accessories	Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	2 pcs/Carton
Product Size	240*240*300mm (4L); 260*260*300mm (5L); 300*300*390mm (6L);
Carton Size	585*300*360mm(4L); 645*335*355mm (5L); 645*335*380mm (6L);
Loading Quantity (5L)	730pcs/20GP; 1510pcs/40GP; 1770pcs/40HQ
Certification	CB

TT-H2D



Electric Pressure Cooker

Capacity	5L/ 6L
Power	1000W/ 1000W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Working Pressure	0-70kPa
Safety System	12 protective devices
Color	Silver/ Purple / Bronze
Body Material	Stainless Steel
Controlled Method	Electric Button
Cooking Function	6 Menus
Preset Time/ Keep Warm	24H
Inner Pot	Aluminum Pot
Features	Lid side stand design/ Water container/ Auto-exhaust button
Accessories	Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	2 pcs/Carton
Product Size	260*260*300mm (5L); 300*300*390mm (6L);
Carton Size	645*335*355mm (5L); 645*335*380mm (6L);
Loading Quantity (5L)	730pcs/20GP; 1510pcs/40GP; 1770pcs/40HQ
Certification	CB

TT-F1D



Electric Pressure Cooker

Capacity	5L/ 6L
Power	1000W/ 1000W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Working Pressure	0-70kPa
Safety System	12 protective devices
Color	Silver/ Purple / Bronze
Body Material	Stainless Steel
Controlled Method	Electric Button
Cooking Function	12 Menus
Preset Time/ Keep Warm	24H
Features	Lid side stand design/ Water container/ Auto-exhaust button/ 3D bottom heating design
Inner Pot	Aluminum Ball Pot
Accessories	Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	2 pcs/Carton
Product Size	260*260*300mm (5L); 300*300*390mm (6L);
Carton Size	645*335*355mm (5L); 645*335*380mm (6L);
Loading Quantity (5L)	730pcs/20GP; 1510pcs/40GP; 1770pcs/40HQ
Certification	CB

TT-F3D



Electric Pressure Cooker (Low Carbo)

Capacity	5L/ 6L
Power	1000W/ 1000W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Working Pressure	0-70kPa
Safety System	12 protective devices
Color	Silver/ Purple / Bronze
Body Material	Stainless Steel
Controlled Method	Electric Button
Cooking Function	12 Menus
Preset Time/ Keep Warm	24H
Features	Lid side stand design/ Water container/ Auto-exhaust button/ 3D bottom heating design/ Low carbo rice function
Inner Pot	Gourd Shape Aluminum Pot
Accessories	SUS304 Steamer /Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	2 pcs/Carton
Product Size	260*260*300mm (5L); 300*300*390mm (6L);
Carton Size	645*335*355mm (5L); 645*335*380mm (6L);
Loading Quantity (5L)	730pcs/20GP; 1510pcs/40GP; 1770pcs/40HQ
Certification	CB

TT-F9D



Multi-functional Pressure Cooker

Capacity	2L/ 3L
Power	900W/ 1000W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Working Pressure	0-70kPa
Safety System	Lid warming system
Body Material	Stainless Steel
Controlled Type	Electric Button / Rotary Knob + Touch Screen
Function	Hot Pot/ Steam Pot/ Frying Pan/ Pressure Cooker/ Rice Cooker/ Soup Pot
Preset Time/ Keep Warm	24H
Features	Lid side stand design/ Water container/ Auto-exhaust button/ Glass lid available
Inner Pot	Gourd Shape Aluminum Pot
Accessories	Glass Lid/Steam Sheet/Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	4 pcs/Carton
Product Size	300*290*270mm (3L);
Carton Size	645*325*685mm (3L)
Loading Quantity (3L)	776pcs/20GP; 1612pcs/40GP; 1892pcs/40HQ
Certification	CB

TT-F18



Multi-functional Pressure Cooker

Capacity	2L/ 3L/ 5L/ 7L
Power	900W/ 1000W/ 1300W/ 1600W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Working Pressure	0-70kPa
Safety System	Lid warming system
Body Material	Stainless Steel
Controlled Type	Electric Button
Function	Hot Pot/ Steam Pot/ Frying Pan/ Pressure Cooker/ Rice Cooker/ Soup Pot
Preset Time/ Keep Warm	24H
Features	Lid side stand design/ Water container/ Glass lid available
Inner Pot	Gourd Shape Aluminum Pot
Accessories	Glass Lid/Steam Sheet/Rice Spoon/ Measuring Cup/ Instruction Manual
Package Method	4 pcs/Carton
Product Size	300*290*270mm (3L);
Carton Size	645*325*685mm (3L)
Loading Quantity (3L)	776pcs/20GP; 1612pcs/40GP; 1892pcs/40HQ
Certification	CB

TT-F10D



TT-Y48



Air Fryer

Capacity	3L
Power	800W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Color	Black/ White/ Blue/ Green
Type	Oil-Free
Body Material	ABS & PP
Frying Basket Material	Teflon Non-stick coating
Controlled Method	Mechanical Knob/ Touch Screen
Timer Range	1-30 Mins
Temperature Range	80-200°C
Accessories	Frying Basket/ Frying Grill/ Instrution
Package Method	1pcs/Carton
Product Size	280*243*330mm
Product N.W/ G.W	2.5KG / 3.7KG
Carton Size	292*254*340mm
Loading Quantity	1265pcs/20GP; 2480pcs/40GP; 2904pcs/40HQ
Certification	CCC

TT-968AF-01



Air Fryer	
Capacity	5L
Power	1300W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Color	Black/ White
Type	Oil-Free
Body Material	ABS & PP
Frying Basket Material	Teflon Non-stick coating
Controlled Method	Mechanical Knob
Timer Range	0-30 Mins
Temperature Range	80-200℃
Accessories	Frying Basket/ Frying Grill/ Instrution
Package Method	1pcs/Carton
Product Size	300*300*350mm
Product N.W/ G.W	5.5KG / 6.0KG
Carton Size	360*360*390mm
Loading Quantity	554pcs/20GP; 1148pcs/40GP; 1346pcs/40HQ
Certification	CCC

TT-58



Air Fryer

Capacity	5L
Power	1300W
Voltage	110~240V
Frequency	50/60Hz
Color	Green/ Jade/ Pink
Type	Oil-Free
Body Material	PP
Frying Basket Material	Teflon Non-stick coating
Controlled Method	Touch Screen
Timer Range	1-120 Mins
Temperature Range	60-200°C
Accessories	Frying Basket/ Frying Grill/ Instrution
Package Method	4pcs/Carton
Product Size	255*255*320mm
Product N.W/ G.W	4.0KG / 4.5KG
Carton Size	711*358*717mm
Loading Quantity	612pcs/20GP; 1268pcs/40GP; 1488pcs/40HQ
Certification	CB/LVD/EMC

TT-968AF-02



Air Fryer	
Capacity	6L
Power	1300W
Voltage	110V~120V/ 220V~240V
Frequency	50/60Hz
Color	Gold/ Black/ White/ Green
Type	Oil-Free
Body Material	PC & PP
Frying Basket Material	Teflon Non-stick coating
Controlled Method	Touch Screen
Timer Range	1-60 Mins
Temperature Range	150-180°C
Accessories	Frying Basket/ Frying Grill/ Instrution
Package Method	2pcs/Carton
Product Size	270*310*340mm
Product N.W/ G.W	4.2KG / 4.7KG
Carton Size	700*405*365mm
Loading Quantity	608pcs/20GP; 1260pcs/40GP; 1478pcs/40HQ
Certification	CB/LVD/EMC

TT-68



Air Fryer

Capacity	12L
Power	1600W
Voltage	110V~240V
Frequency	50/60Hz
Color	Grey/ Green/ Purple
Type	Oil-Free
Body Material	Stainless Steel
Controlled Method	Touch Screen
Timer Range	1-120 Mins
Temperature Range	60-200°C
Accessories	Plate/ Sieve/ Grill/ Clip/ Forks/ Rotating Basket
Package Method	1pcs/Carton
Product Size	340*295*330mm
Product N.W/ G.W	5.88KG / 7.0KG
Carton Size	350*340*310mm
Loading Quantity	758pcs/20GP; 1570pcs/40GP; 1842pcs/40HQ
Certification	CB/LVD/EMC

Air Purifier

Color	Black/ Red
Power / Voltage / Frequency	45W /110~120V, 220~240V /50, 60Hz
CADR(particulate matter)	180m³/h
CADR(formaldehyde)	150m³/h
Housing Material	ABS (Matt Surface)
Timer	1-12H
Wind Speed	3 Speeds (Low / Medium/ High)
Noise(max/min)	60/33dB
Layer of filter	4 layers (Washable layer + Primary layer + Activated carbon + HEPA 11)
Function	Anion Mode/ Sleep Mode/Auto Mode
Anion Generator	Yes
Air quality show on screen	Yes
Filter change sensor	Yes
Remote Control	Yes
Area Application	10-40m²
Product Size	350*200*600mm
Carton Size	400*270*660mm (1pc/Carton)
Loading Quantity	392pcs/20GP; 810pcs/40GP; 950pcs/40HQ
Certification	CB

TT-KQ203



TT-KQ203 Black



Air Purifier

Color	Black/ Red
Power / Voltage / Frequency	45W /110~120V, 220~240V /50, 60Hz
CADR(particulate matter)	180m³/h
CADR(formaldehyde)	150m³/h
Housing Material	ABS
Timer	1-12H
Wind Speed	3 Speeds (Low / Medium/ High)
Noise(max/min)	60/33dB
Layer of filter	4 layers (Washable layer + Primary layer + Activated carbon + HEPA 11)
Function	Anion Mode/ Sleep Mode/Auto Mode
Anion Generator	Yes
Air quality show on screen	Yes
Filter change sensor	Yes
Remote Control	Yes
Area Application	10-40m²
Product Size	350*200*600mm
Carton Size	400*270*660mm (1pc/Carton)
Loading Quantity	392pcs/20GP; 810pcs/40GP; 950pcs/40HQ
Certification	CB


TT-KQ204



Air Purifier

Color	White
Power / Voltage / Frequency	50W /110~120V, 220~240V /50, 60Hz
CADR(particulate matter)	160m³/h
CADR(formaldehyde)	120m³/h
Housing Material	PP
Timer	2-12H(2H,4H,8H,12H)
Wind Speed	Auto
Noise(max/min)	64/33dB
Layer of filter	3 layers (Primary layer + Activated carbon + HEPA 11)
Function	Sleep Mode/ Air Purification/ Filter Smoke/ Timer/ Anion Purification / On/Off
Air quality show on screen	No
Filter change sensor	No
Remote Control	Yes
Area Application	10-30m²
Product Size	335*215*525mm
Carton Size	395*235*600mm (1pc/Carton)
Loading Quantity	502pcs/20GP; 1040pcs/40GP; 1220pcs/40HQ
Certification	CCC

T-01



Air Purifier

Color	White/ Scream/ Purple/ Green
Power / Voltage / Frequency	50W /110~120V, 220~240V /50, 60Hz
CADR(particulate matter)	160m ³ /h
CADR(formaldehyde)	120m ³ /h
Housing Material	PP
Timer	1- 8H
Wind Speed	3 Speeds
Noise(max/min)	64/33dB
Layer of filter	3 layers (Primary layer + Activated carbon + HEPA 11)
Function	Anion Mode/ Sleep Mode/Auto Mode
Anion Generator	Yes
Air quality show on screen	Yes
Filter change sensor	Yes
Remote Control	Yes
Area Application	10-30m ²
Product Size	368*180*585mm
Carton Size	408*218*642mm (1pc/Carton)
Loading Quantity	465pcs/20GP; 1015pcs/40GP; 1190pcs/40HQ
Certification	CCC

G-23



AI Air Sterilizer

Color	Brown/ Beige/ Silver/ White/ Gold/ Jade/ Rose
Power / Voltage / Frequency	50W /110~120V, 220~240V /50, 60Hz
Water Container Capacity	4.5L
Humidifying Rate	300mL/h
Housing Material	PP
Timer	10Mins - 8H
Features	AI Voice Controlling
Function	Air humidification/ Air Sterilization/ Air Disinfection
Sterilization Method	Generate 84 Disinfectant
Area Application	10-30m ²
Product Size	160*160*500mm
Carton Size	200*220*550mm (1pc/Carton)
Loading Quantity	1270pcs/20GP; 2636pcs/40GP; 3090pcs/40HQ
Certification	CB/ CE/ RoHS

H-098



TT-3L



Ceiling Fan

Size	42"/ 48"/ 52" Inches
Motor	AC/ DC (Pure Copper Motor)
Motor Size	153*18mm
Power	30~95W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Blade Color	Black/ White/ Orange/ Wood Grain
Blades	3 ABS blades
LED Light	2 Colors
Light Cover Material	Acrylic
RMP	3/230; 2/200; 1/120
Wind Speed	3 speeds with reverse functions
Remote Control	Yes
Package Method	1pcs/Carton
Product N.W/ G.W	7.8KG / 8.8KG
Carton Size	715*275*310mm
Loading Quantity	450pcs/20GP; 950pcs/40GP; 1115pcs/40HQ
Certification	CB/ LVD/ EMC

TT-5L



Ceiling Fan

Size	42"/ 48"/ 52" Inches
Motor	DC (Pure Copper Motor)
Motor Size	155*16mm
Power	4-45W
Voltage	110~120V / 220~240V
Frequency	50/60Hz
Blade Color	Black/ White/ Wood Grain
Blades	3 ABS blades
LED Light	2 Colors
Light Cover Material	Acrylic
Wind Speed	6 speeds with reverse functions
Remote Control	Yes
Features	Mute Motor/ Retractable boom/ Gentle Light/ Reinforce boom shaft
Package Method	1pcs/Carton
Product N.W/ G.W	10KG / 11KG
Carton Size	760*300*290mm
Loading Quantity	408pcs/20GP; 890pcs/40GP; 1013pcs/40HQ
Certification	CB/ LVD/ EMC

Electric Oven

Color	Green/ Pink/ Black
Capacity	12L
Power	600W
Voltage	110~120V, 220~240V
Frequency	50, 60Hz
Controlling Method	Rotary Knob
Housing Material	Stainless Steel
Timer Range	0~60 minutes
Temperature Range	50~230℃
Heating Mode	Heating Tube
Accessories	Baking Pan (1pc), Barbeque Grill (1pc), Instruction (1pc)
Product Size	348*235*200mm
Product N.W	2.9KG
Packing Method	1pc/Carton
Carton Size	385*270*240mm
Loading Quantity	1120pcs/20GP; 2196pcs/40GP; 2580pcs/40HQ
Certification	CCC

PK- 12L



Electric Oven

Color	Green/ Beige/ Black
Capacity	22L
Power	1000W
Voltage	110~120V, 220~240V
Frequency	50, 60Hz
Controlling Method	Rotary Knob
Housing Material	Stainless Steel
Timer Range	0~60 minutes
Temperature Range	50~230°C
Heating Mode	Heating Tube
Accessories	Baking Pan (1pc), Barbeque Grill (1pc), Instruction (1pc)
Product Size	425*305*290mm
Product N.W	4.5KG
Packing Method	1pc/Carton
Carton Size	467*345*330mm
Loading Quantity	525pcs/20GP;1090pcs/40GP; 1275pcs/40HQ
Certification	CCC

PK- 22L



Electric Oven

Color	Red / Black/ Customize
Capacity	48L
Power	2000W
Voltage	110~120V, 220~240V
Frequency	50, 60Hz
Controlling Method	Rotary Knob
Housing Material	Stainless Steel
Timer Range	0~60 minutes
Temperature Range	100~250℃
Heating Mode	Heating Tube
Accessories	Baking Pan (1pc), Barbeque Grill (1pc), Instruction (1pc)
Product Size	540*340*350mm
Product N.W	7.8KG
Packing Method	1pc/Carton
Carton Size	589*420*400mm
Loading Quantity	280pcs/20GP; 585pcs/40GP;685pcs/40HQ
Certification	CCC

PK- 48L



TT-S01



Electric Skillet

Capacity	1.5L
Power	350~700W
Voltage	110~120V/ 220~240V
Frequency	50/60Hz
Firepower	Low & High
Pot Material	Ceramic non-stick coating
Body Material	PP & Glass
Color	White / Gold
Function	Noodle Pot; Hot Pot, Frying Pan; Saucepan; Steam Pot...
Power Source	Electric
Features	Anti-scald body design; Long handle design; Glass lid design.
Accessories	Steamer Basket
Pot Size	200*70mm
Package Method	1 pcs/Carton
Carton Size	430*240*150mm
Loading Quantity	1806pcs/20GP; 3740pcs/40GP; 4385pcs/40HQ
Certification	CCC

TT-S02



Electric Skillet

Capacity	1.5L
Power	350~700W
Voltage	110~120V/ 220~240V
Frequency	50/60Hz
Firepower	Low & High
Pot Material	Ceramic non-stick coating
Body Material	PP & Glass
Color	White
Function	Noodle Pot; Hot Pot, Frying Pan; Saucepan; Steam Pot...
Power Source	Electric
Features	Anti-scald body design; Long handle design; Glass lid design; Transparent steamer basket.
Accessories	Steamer Basket
Pot Size	200*70mm
Package Method	1 pcs/Carton
Carton Size	430*240*150mm
Loading Quantity	1806pcs/20GP; 3740pcs/40GP; 4385pcs/40HQ
Certification	CCC

Thanks for watching!

- Product Continuously Update...
- Contact Person: Lisa.Su
- Position: Sales Manager
- Email Address: tiantai2017@126.com
- Phone/Wechat/Whatsapp:
- +8618664257588
- Website: <https://zstiantai.en.alibaba.com>